



# IECEX Certificate of Conformity

## INTERNATIONAL ELECTROTECHNICAL COMMISSION IEC Certification Scheme for Explosive Atmospheres

for rules and details of the IECEx Scheme visit [www.iecex.com](http://www.iecex.com)

Certificate No.: IECEx BVS 13.0036X issue No.: 0 Certificate history:

Status: **Current**

Date of Issue: 2013-04-12 Page 1 of 3

Applicant: **tecsis GmbH**  
Carl-Legien-Straße 40  
63073 Offenbach  
Germany

Electrical Apparatus: Force transducers F\*3C\*.\*\*\*\*.20\*\*\*\*\*K\*\*\*\*.\*\*\*  
Optional accessory:

Type of Protection: Equipment protection by flameproof enclosures "d"

Marking: Ex d IIC T4 Gb

Approved for issue on behalf of the IECEx Certification Body: Dr. F. Eickhoff

Position: Deputy Head of Certification Body

Signature:  
(for printed version)

Date:

2013-04-12

1. This certificate and schedule may only be reproduced in full.
2. This certificate is not transferable and remains the property of the issuing body.
3. The Status and authenticity of this certificate may be verified by visiting the [Official IECEx Website](http://www.iecex.com).

Certificate issued by:

DEKRA EXAM GmbH  
Dinnendahlstrasse 9  
44809 Bochum  
Germany





# IECEX Certificate of Conformity

Certificate No.: IECEx BVS 13.0036X

Date of Issue: 2013-04-12

Issue No.: 0

Page 2 of 3

Manufacturer: **tecsis GmbH**  
Carl-Legien-Straße 40  
63073 Offenbach  
Germany

Additional Manufacturing location  
(s):

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended.

#### STANDARDS:

The electrical apparatus and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards:

**IEC 60079-0 : 2011** Explosive atmospheres - Part 0: General requirements  
Edition: 6.0

**IEC 60079-1 : 2007-04** Explosive atmospheres - Part 1: Equipment protection by flameproof enclosures "d"  
Edition: 6

*This Certificate **does not** indicate compliance with electrical safety and performance requirements other than those expressly included in the Standards listed above.*

#### TEST & ASSESSMENT REPORTS:

*A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in*

Test Report:  
[DE/BVS/ExTR13.0047/00](#)

Quality Assessment Report:  
[DE/BVS/QAR08.0003/02](#)



# IECEx Certificate of Conformity

Certificate No.: IECEx BVS 13.0036X

Date of Issue: 2013-04-12

Issue No.: 0

Page 3 of 3

## Schedule

### EQUIPMENT:

Equipment and systems covered by this certificate are as follows:

#### Subject and Type

Force transducers type F\*3C\*.\*\*\*\*.20\*\*\*\*\*K\*\*\*\*.\*\*\*

\* = not Ex-relevant

\*\*\*\* = placeholder for cable length in cm  $\geq$  0200

#### Description

The force transducers are intended for measurement of static and dynamic tensile or compressive force. They consist of an enclosure made of steel in type of protection flameproof enclosure and the electronics for measurement inside.

#### Parameters

Rated voltage	$\leq$ 30	VDC
Rated current	$\leq$ 100	mA
Temperature range of the flameproof enclosure	-40 °C ... 85 °C	

### CONDITIONS OF CERTIFICATION: YES as shown below:

The lengths of the flameproof joints are in parts longer and the gaps of the flameproof joints are in parts smaller than the values of table 2 of IEC 60079-1:2007. For information of the dimensions of the flameproof joints contact the manufacturer.

Only screws of stainless steel with a minimum quality of A2-70 or A4-70 have to be used for the closing of the flameproof enclosure.

The force transducers are designed for use at an ambient temperature range of -40 °C up to 85 °C at maximum.